

## Page 1 of 1

All amounts are calculated in domestic currency.

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name											
PO34792 CAD	3		VC-MET002      Metaux Solutions								
			M304B0.250x0.500	f	1/10/2017	1/9/2017	61.6500	\$3.17	0.0000	0	\$195.15
	No		304 BAR .250 x .500	f	60.0000	PLOU01		\$195.15	0.0000	0	
			m136553								
	4		MSTEEL-A2-B0.500X1.250	f	1/10/2017	1/9/2017	24.0000	\$9.22	0.0000	0	\$221.21
	No		AISI A2 TOOL STEEL BAR, 0.500 X 1.250	f	24.0000	PLOU01		\$221.21	0.0000	0	
			m136553								
	9		M4130NB0.500X03.0	f	1/10/2017	1/9/2017	35.0000	\$25.49	0.0000	0	\$892.05
	No		4130 Bar 0.500 x 3.00	f	35.0000	PLOU01		\$892.05	0.0000	0	
			m136553								
10		71401-45		1/10/2017	1/9/2017	1.0000	\$0.00	0.0000	0	\$0.00	
No		PROCUREMENT QUALITY CLAUSES		1.0000	PLOU01		\$0.00	0.0000	0		
		m136553									
Total Received Quantity:											121.6500
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$1,308.40
Total Balance Due Quantity:											0.0000

METAUX SOLUTIONS INC  
2625 BOUL JACQUES CARTIER EST  
LONGUEUIL, QUEBEC  
J4N 1L7  
Tel.: 450 641-3330

## Shipping Order

06/01/2017

Order : 121805  
Reference : 34792  
Ship : PICK UP / PICK UP

Customer: 6323336

DART AEROSPACE LTD  
1270, ABERDEEN STREET  
HAWKESBURY, ONTARIO  
K6A 1K7

### Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
SF14124	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N 304 FLA .250 X .500 5 X 12.33' HT;56900655	61.65	61.65	0
TP12A2	A-2 PLATE TFA 1/2" THICK 2 X 1.25" -0+0 X 144" HT; PM664947	54	54	0
MP124130N	4130 NORM PLATE .500 THICK AMS 6345 30 X 3" X 14" HT;248571-06	8.7	8.7	0

SHIP JOURNEY COLLECT  
JP

2017-01-10

Shipping :  
Package No :  
Merchandise Received:

Ref. :  
:

<b>BOLLINGHAUS</b> <b>STEEL</b> Bollinghaus Steel, SA DIN EN ISO 9001:2008 TÜV CERT No. 01 100 030458	Abnahmeprüfzeugnis/Mill Test Certificate/Certif. de Qualidade <b>EN 10204:2004 / 3.1</b>		No: / Nr.: / Nr.: <b>0000119911</b>																													
	Unsere Innere Verweisung / Our Int. Ref / N/ ref int <b>5600031591 000040</b>		Datum / Date / Data <b>26.09.2016</b>																													
Normen / Standards / Normas TYPE 304/UNS S30400 and TYPE 304L/UNS S30403 acc. to ASTM A479/A479M-16, A276/A276M-16a, SAE-AMS-QQ-S 7630, AMS5638H, AMS5647J, ASME SA479/SA479M, ASME SA276, ASTM A182/A182M-16a F304/304L, A193/A193M-16 CL 1Gr.B8, ASTM A314-15, ASTM A320/A320M-15a, DOD-F24669/5, ASME SA182/SA182M, ASME SA 193/SA193M, ASME SA320 CL 1Gr.B8, ASTM A262-15 Practice E, grain size as per ASTM E112, NACE MR 0175, Mercury free statement, not weld repair statement, contents of N, Co, Mo and Cu, in hot rolled, solution annealed, pickled, straightened execution as per ASTM A484/A484M-16																																
Kunde / Customer / Cliente <b>C105024</b>		Endgültiger Kunde / Final Customer / Cliente Final <b>C105024.01</b>																														
Bestell Nr./ Order Nr./ Enc. Nr. <b>C105024</b>		Bestell Nr./ Order Nr./ Enc. Nr. <b>C105024.01</b>																														
Produktgruppe / Product Group / Grupo Produto <b>AISI 304/L FLAT 1/4 X 1/2"</b>		Gewicht / Weight / Peso <b>1.059 lb</b>		Bundle / Bundle / Atados <b>01</b>																												
Werkstoff-Nr. Material no. Qualidade <b>1.4307</b>		Werkstoff-Normbezeichnung / Material standard grade / Norma do material <b>X 2 CrNi 18-9</b>																														
Beschreibung / Description / Descrição Stainless steel flat bars, hot rolled, solution annealed, straightened, pickled. US DFAR 252.225-7009: MELT SOURCE: United Kingdom / MFG: Portugal <div style="text-align: right;"> <b>DAS</b>  <b>14</b>  <b>9-89 17/01/12</b> </div>																																
Chemische Analyse in % / Chemical composition in % / Análise química em % <table border="1"> <tr> <td>C</td><td>0.030</td><td>Si</td><td>0.228</td><td>Mn</td><td>1.830</td><td>P</td><td>0.030</td><td>S</td><td>0.026</td><td>Cr</td><td>18.100</td><td>Ni</td><td>8.100</td> </tr> <tr> <td>Mo</td><td>0.430</td><td>Co</td><td>0.205</td><td>Cu</td><td>0.298</td><td>N</td><td>0.004</td><td>Ti</td><td>0.003</td><td>Nb</td><td>0.021</td><td>Al</td><td>0.006</td> </tr> </table>					C	0.030	Si	0.228	Mn	1.830	P	0.030	S	0.026	Cr	18.100	Ni	8.100	Mo	0.430	Co	0.205	Cu	0.298	N	0.004	Ti	0.003	Nb	0.021	Al	0.006
C	0.030	Si	0.228	Mn	1.830	P	0.030	S	0.026	Cr	18.100	Ni	8.100																			
Mo	0.430	Co	0.205	Cu	0.298	N	0.004	Ti	0.003	Nb	0.021	Al	0.006																			
ASTM A370 <table border="1"> <tr> <th>Proben Nr. Test no. Amostra no.</th> <th>ASTM E399 Kerbschlagarbeit Impact Test Resiliência (Charpy V)</th> <th>Streckgrenze Yield point Tensão limite Rp 0.2 % [J]</th> <th>Dehngrenze 1% point Limite de extensão Rp 1.0 % [Ksi]</th> <th>Zugfestigkeit Tensile strength Tensão de rotura Rm [Ksi]</th> <th>Dehnung Elongation Alongamento A5 [ % ]</th> <th>4D [ % ]</th> <th>Einschränkung Reduction of area Coef. Estricção Z [ % ]</th> </tr> <tr> <td>4082619.01.01</td> <td></td> <td>47.1</td> <td>54.5</td> <td>93.5</td> <td>56.1</td> <td>59.3</td> <td>72.9</td> </tr> </table>					Proben Nr. Test no. Amostra no.	ASTM E399 Kerbschlagarbeit Impact Test Resiliência (Charpy V)	Streckgrenze Yield point Tensão limite Rp 0.2 % [J]	Dehngrenze 1% point Limite de extensão Rp 1.0 % [Ksi]	Zugfestigkeit Tensile strength Tensão de rotura Rm [Ksi]	Dehnung Elongation Alongamento A5 [ % ]	4D [ % ]	Einschränkung Reduction of area Coef. Estricção Z [ % ]	4082619.01.01		47.1	54.5	93.5	56.1	59.3	72.9												
Proben Nr. Test no. Amostra no.	ASTM E399 Kerbschlagarbeit Impact Test Resiliência (Charpy V)	Streckgrenze Yield point Tensão limite Rp 0.2 % [J]	Dehngrenze 1% point Limite de extensão Rp 1.0 % [Ksi]	Zugfestigkeit Tensile strength Tensão de rotura Rm [Ksi]	Dehnung Elongation Alongamento A5 [ % ]	4D [ % ]	Einschränkung Reduction of area Coef. Estricção Z [ % ]																									
4082619.01.01		47.1	54.5	93.5	56.1	59.3	72.9																									
Visible Kontrolle Visual Inspection Inspeção visual <input checked="" type="checkbox"/> OK		ASTM E10 Härte Hardness Dureza 180 [ HB ]		ASTM A262 Practice E Korrosionsbeständigkeit K Test Corrosão Intermetálica <input checked="" type="checkbox"/> OK																												
ASTM A404 Maßkontrolle Dimensional Inspection Inspeção dimensional <input checked="" type="checkbox"/> OK		ASTM E112 Korngröße Grain size Tamanho de grão 9		Wärmebehandlung Heat treatment Tratamento térmico Annealed Quenched 1900 °F (1050 °C) (water quenched)																												
Vorwechslungsprüfung Test of identity Teste de identificação <input checked="" type="checkbox"/> OK		Makroskopische Untersuchung Macrographic test Material free from segregation defects. <input checked="" type="checkbox"/> OK		N305 Nuno Silva (N-NS)																												
Bollinghaus Steel, SA Bemerkungen / Remarks / Observações Country of origin: Portugal. No weld repair done. Material is free of mercury and radiation contamination. Hiermit bestätigen wir, dass das Material der oben genannten Spezifikation entspricht. We confirm that this material meets the specification according to the mentioned standards. Confirmamos que este material respeta as especificações de acordo com as normas referidas.																																

19447

# NUCOR STEEL

4537 S. NUCOR ROAD; CRAWFORDSVILLE, IN 47933

## REPORT OF TESTS

ATTN:	DATE: 1/20/15
FAX:	
SOLD TO: Factory Steel and Metal Supply	CUSTOMER ORDER # 081414MC
SIZE: 0.500" by 36" steel sheet	PRODUCT: HRPO light oil FINE GRAIN AIRCRAFT QUALITY 4130 AMS 6345 Rev C ASTM-A 506 ASTM-A-635 AMS 2301 Rev J [successor to MIL-S-18729 COND N.] NORMALIZED OR OTHERWISE HEAT TREATED

### AMS 6345

COIL #	HEAT #	YIELD	TENSILE	ELONG
1961550	248571-06	81.5 ksi	115 ksi	20%

TEST	RESULT
*Average austenite grain size	#8 Pass
Decarburization (P/F)	Pass
*Bend Test (P/F)	Pass
*Response to Heat Treatment (P/F)	45 HRC Pass
*AMS 2301 Quality Freq/Sev (P/F)	0/0 Pass

DAS  
14  
9-89

17/01/12

\*These tests performed by outside lab, ISO 17025 certified.

HEAT #	C	Mn	P	S	Al	Si	N	Cr	Ni	Cu	Mo
248571	0.287	0.55	0.006	0.000	0.028	0.208	0.007	0.860	0.017	0.043	0.165

WE HEREBY CERTIFY THE ABOVE  
IS CORRECT AS CONTAINED IN  
THE RECORDS OF THE CORPORATION.

Melted and Manufactured in the USA

  
Cold Mill Metallurgist

QF-0200, 10/17/05



Jérôme Primeau  
Représentant aux ventes  
j.primeau@metauxsolutions.com

2625, boul. Jacques Cartier Est  
Longueuil (Québec) J4N 1L7  
Tél. : 450 641-3330 Téléc. : 450 641-3332  
Tél. : 514 633-8010 Téléc. : 514 633-8044  
1 800 967-2003

www.metauxsolutions.com

Pack List: 108220  
Packing List Date: 11/22/2016  
Page: 4 of 5  
Account No: 101411

Sales Order: 145605

**Product Description**

A2-15000  
1-1/2 X 33 5/8" X 137 7/8" A2 PLATE  
AIRTRUE DELUXE  
ASTM A-681-08  
DFARS Compliant  
PLATE#: 413866A

Country of Origin USA

C - 0.9800 Mn - 0.6700  
Cr - 4.9400 Mo - 1.0000

Customer PO: 41362-JF

Shipped Pcs 1.00

Shipped Lbs 2,005.00

Back Ordred 0.00

Drop Ship Ref: PO LINE

PM HEAT#: 66629

P - 0.0200 S - 0.0020  
Cu - 0.0800 V - 0.3700

BHN 224.00

Si - 0.3300 Ni - 0.2000  
W - 0.0500

**Product Description**

A2-05000  
1/2 X 32 11/16" X 136 1/2" A2 PLATE  
AIRTRUE DELUXE  
ASTM A-681-08  
DFARS Compliant  
PLATE#: 413831A

Country of Origin USA

C - 1.0100 Mn - 0.6800  
Cr - 4.9900 Mo - 0.9900

Shipped Pcs 1.00

Shipped Lbs 664.00

Back Ordred 0.00

PO LINE

PM HEAT#: 66497

P - 0.0220 S - 0.0020  
Cu - 0.1300 V - 0.3000

BHN 230.00

Si - 0.3500 Ni - 0.3100  
W - 0.0600

DAS  
14  
9-89

17/10/12

**Product Description**

D2-20000  
2 X 33" X 126 3/8" D2 PLATE  
ARISTOCRAT DELUXE  
ASTM A-681-08  
PLATE#: 412741A

Country of Origin CHINA

C - 1.5400 Mn - 0.2600  
Cr - 11.3800 Mo - 0.7700

Shipped Pcs 1.00

Shipped Lbs 2,346.00

Back Ordred 0.00

PO LINE

PM HEAT#: 60322

P - 0.0230 S - 0.0010  
Cu - 0.1300 V - 0.9400

BHN 221.00

Si - 0.2300

**Product Description**

MSP12500  
1-1/4 x 34 1/8" x 144 13/16" Marhalloy Standard Plate  
4140/42 PreHard  
MARSHALLOY STANDARD DELUXE  
ASTM A-829  
PLATE#: 414794A

Country of Origin SLOVENIA

C - 0.4040 Mn - 0.8140  
Cr - 1.0000 Mo - 0.1600

Shipped Pcs 1.00

Shipped Lbs 1,787.00

Back Ordred 0.00

PO LINE

PM HEAT#: 65626

P - 0.0080 S - 0.0005  
Cu - 0.1410 V - 0.0420

BHN 274.00

Si - 0.2380 Ni - 0.1400

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MSTEEL-A2-B0.500X1.250 PO / BATCH NO.: 34792/136553  
 DATE: 17/01/12

MATERIAL CERT REC'D: yes THICKNESS ORDERED: .500  
 QUANTITY RECEIVED: 23' THICKNESS RECEIVED: .525  
 QUANTITY INSPECTED: 23' SHEET SIZE ORDERED: \_\_\_\_\_  
 QUANTITY REJECTED: \_\_\_\_\_ SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>MSTEEL-A2-</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>.525</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>A681</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>HEAT# PM664997</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>MSTEEL-A2-B0.500X1.250</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>M136553</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY: <u>DAS 14</u> DATE: <u>17/01/12</u>		SIGNED OFF BY: _____ DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304 B0.250X.500

PO / BATCH NO: 34792/136553

DATE: 17/02/12

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .250

QUANTITY RECEIVED: 61.300

THICKNESS RECEIVED: .250

QUANTITY INSPECTED: 61.300

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	304
CORRECT THICKNESS	<input checked="" type="checkbox"/> N	.250
PHOTO REQUIRED	Y <input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/> N	ASTM A276 ASTM A240
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> N	HEAT # 56900655
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> N	M304 B0.250X0.500
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> N	M136553
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
	HRC	HRB	DUR A	DUR D
TYPE OF MATERIAL				
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____		
DATE: <u>17/01/12</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M4130 NBD.500X3.00

PO / BATCH NO.: 34792/136553

DATE: 17/01/12

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 35  
 QUANTITY INSPECTED: 35  
 QUANTITY REJECTED:           

THICKNESS ORDERED: .500  
 THICKNESS RECEIVED: .500  
 SHEET SIZE ORDERED:             
 SHEET SIZE RECEIVED:           

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT FINISH	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	4130
CORRECT THICKNESS	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	.500
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	MIL-S-6758 AMS 6345
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	HEAT# 248571-06
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	M4130 NBD.500X3.000
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	M136553
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

*testers located in the Quality Office*

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (if required)</b>	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: <u>          </u>		
DATE: <u>17/01/12</u>	DATE: <u>          </u>		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in





Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34792**

Purchase Order Date 1/4/2017 8:15:47 AM

PO Print Date 1/4/2017

Page Number 1 of 2

**Order From :**

VC-MET002

**Ship To :** DART AEROSPACE LTD

METAUX SOLUTIONS  
2625 BOUL JACQUES-CARTIER EST  
LONGUEUIL, QC J4N 1L7  
CA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

JAN 02 2017

E-MAILED

**Contact Name**

**Vendor Phone** 800 558 8858

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #**

10127-2607

**Ship To Contact**

**Terms**

Net 30

**Ship To Phone**

**Currency**

CAD

**Ship Via:**

Journey Freight collect

**FOB**

Destination-Collect

**Ship Acct:**

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
3	M304B0.250x0.500 ✓	304 BAR .250 x .500 ✓	1/10/2017 Yes 1/10/2017		60.00 f new 61.65	\$4.25	\$255.00
Line Total:							\$255.00
4	MSTEEL-A2-B0.500X1.250	AISI A2 TOOL STEEL BAR, 0.500 X 1.250 ✓	1/10/2017 Yes 1/10/2017		24.00 ✓ f	\$12.38	\$297.00
Line Total:							\$297.00

MATERIAL: AISI A2 TOOL STEEL, ANNELED CONDITION  
AS PER A681

TOLERANCE -0+0" AS PER QUOTATION #16619  
CUT AT 1.25"

8/17-01-10

**PO Instructions:**

**Note:**

1/4/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34792**

Purchase Order Date 1/4/2017 8:15:47 AM

PO Print Date 1/4/2017

Page Number 2 of 2

**Order From :**

VC-MET002

**Ship To :** DART AEROSPACE LTD

METAUX SOLUTIONS  
2625 BOUL JACQUES-CARTIER EST  
LONGUEUIL, QC J4N 1L7  
CA

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone** 800 558 8858

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

**Ship To Contact**

**Ship To Phone**

**Ship Via:** Journey Freight collect

**Ship Acct:**

9	M4130NB0.500X03.000	4130 Bar 0.500 x 3.00	✓	1/10/2017	35.00	✓	\$34.22	\$1,197.70
---	---------------------	-----------------------	---	-----------	-------	---	---------	------------

Yes

f

1/10/2017

MATERIAL: AISI 4130N STEEL BAR PER MIL-S-6758 OR AMS 6345/6348/6370/6528

30 PCS CUT TO SIZE 14"

**Line Total:** \$1,197.70

10	71401-45	PROCUREMENT	✓	1/10/2017	1.00	✓	\$0.00	\$0.00
----	----------	-------------	---	-----------	------	---	--------	--------

QUALITY CLAUSES

No

1/10/2017

**Procurement Quality Clauses**

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

2017-01-10

**Line Total:** \$0.00

**PO Total:** \$1,749.70

U  
CL

**PO Instructions:**

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

**Change Nbr:** 3

**Change Date:** 1/4/2017